

**TOP  
DESIGN**

THE ESSENCE OF  
LIGHT, NATURE & LIFE

# DOTS

## Eagle

---

5 Model  
3 Power  
P. 122

## Owl

---

3 Model  
3 Power  
P. 134

## Hawk

---

6 Model  
20 Power  
P. 142



Eagle



EAGLE R2L  
6W - P127



EAGLE R5L  
10W - P129



EAGLE R10L  
20W - P129



EAGLE S5L  
10W - P131



EAGLE RT5L  
10W - P133

*La visión del aguila es potente y capaz de enfocar cualquier punto a una gran distancia. Eagle toma esta maravilla de la naturaleza para desarrollar luminarias capaces de poner a foco cualquier elemento en tus interiores.*

*The eagle's vision is powerful and capable of focusing any point at a great distance. Eagle takes this wonder of nature to develop luminaires capable of bringing any element into focus in your interiors.*








7ID501 06 - 2 1 N 3 - 9001  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7ID501	6W	<p>2- ON/OFF 100-277V PF&gt;0,9</p> <p>4- DALI/PUSH/1-10V 220-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>SMART CONTROL (See page. 324)</p>	<p>1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5)</p> <p>2- 5 Years Warranty Other driver Incl. (Option Driver 4)</p>	<p>A - 15°</p> <p>J - 30°</p> <p>N - 45°</p>	<p>3 - 3000K 420 lm system 678 lm source (45°)</p> <p>4 - 4000K 441 lm system 720 lm source (45°)</p>	<p>0101- Black</p> <p>0109- Black- Tec. Gold</p> <p>9001- Tec. White-Black</p> <p>9009- Tec. White-Tec. Gold</p> <p>9090- Tec. White</p>

EAGLE R2L



Accessories not included


Emergency kit (page 322)

2DCLEDK1

2DCLEDK2




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)



7ID501 10 - 2 1 N 3 - 9001  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7ID501	10W	<p>2- ON/OFF 100-277V PF&gt;0,9</p> <p>4- DALI/PUSH/1-10V 220-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>SMART CONTROL <i>(See page. 324)</i></p>	<p>1- 5 Years Warranty JISO driver Incl. <i>(Option Driver 2 - 5)</i></p> <p>2- 5 Years Warranty Other driver Incl. <i>(Option Driver 4)</i></p>	<p>A - 15°</p> <p>J - 30°</p> <p>N - 45°</p>	<p>3 - 3000K 800 lm system 1130 lm source <i>(45°)</i></p> <p>4 - 4000K 840 lm system 1200 lm source <i>(45°)</i></p>	<p>0101- Black</p> <p>0109- Black- Tec. Gold</p> <p>9001- Tec. White-Black</p> <p>9009- Tec. White-Tec. Gold</p> <p>9090- Tec. White</p>

EAGLE R5L





146x45 #140x37



7ID501 20 - 2 1 N 3 - 9001  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7ID501	20W	<p>2- ON/OFF 220-240V PF&gt;0,9</p> <p>4- DALI/PUSH/1-10V 220-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>SMART CONTROL <i>(See page. 324)</i></p>	<p>1- 5 Years Warranty JISO driver Incl. <i>(Option Driver 2 - 5)</i></p> <p>2- 5 Years Warranty Other driver Incl. <i>(Option Driver 4)</i></p>	<p>A - 15°</p> <p>J - 30°</p> <p>N - 45°</p>	<p>3 - 3000K 1600 lm system 2260 lm source <i>(45°)</i></p> <p>4 - 4000K 1680 lm system 2400 lm source <i>(45°)</i></p>	<p>0101- Black</p> <p>0109- Black- Tec. Gold</p> <p>9001- Tec. White-Black</p> <p>9009- Tec. White-Tec. Gold</p> <p>9090- Tec. White</p>

EAGLE R10L



279x45 #272x37




Accessories not included

Emergency kit *(page 322-323)*

2DCLEDK5

2DCLEDK29






7ID201 10 - 2 1 N 3 - 9001  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7ID201	10W	2- ON/OFF 100-277V PF>0,9	1- 5 Years Warranty JISO driver Incl.	A - 15°  J - 30°  N - 45°	3 - 3000K 800 lm system 1130 lm source (45°)  4 - 4000K 840 lm system 1200 lm source (45°)	9001- Tec. White-Black  9009- Tec. White-Tec. Gold  9090- Tec. White

EAGLE S5L




Accessories not included

Emergency kit (page 322)

2DCLEDK1

2DCLEDK2







EAGLE RT5L



7ID601 10 - 2 1 N 3 - 9001  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7ID601	10W	<p>2- ON/OFF 100-277V PF&gt;0,9</p> <p>4- DALI/PUSH/1-10V 220-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>SMART CONTROL <i>(See page. 324)</i></p>	<p>1- 5 Years Warranty JISO driver Incl. <i>(Option Driver 2 - 5)</i></p> <p>2- 5 Years Warranty Other driver Incl. <i>(Option Driver 4)</i></p>	<p>A - 15°</p> <p>J - 30°</p> <p>N - 45°</p>	<p>3 - 3000K 800 lm system 1130 lm source <i>(45°)</i></p> <p>4 - 4000K 840 lm system 1200 lm source <i>(45°)</i></p>	<p>9001- Tec. White-Black</p> <p>9009- Tec. White-Tec. Gold</p> <p>9090- Tec. White</p>



#139x40

Accessories not included

Emergency kit *(page 322-323)*



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)



