






**TOP
DESIGN**

THE ESSENCE OF
LIGHT, NATURE & LIFE

OUTDOOR







Vela



VELA 18
18W - P251

Canopus



CANOPUS 18
18W - P253

Carina



CARINA 10
10W - P254



CARINA 15
15W - P255



CARINA 20
20W - P257



CARINA 30
30W - P257

Luminarias de superficie de diseños modernos, disponibles en varios acabados. Perfectos para colocación en techos de zonas de exterior como terrazas, porches, balcones o jardines. Resistencia: IP65.

Modern-design surface luminaires, available in several finishes. Perfect for placing on roofs in outdoor areas such as terraces, porches, balconies or gardens. Resistance: IP65.




VELA 18



70C201 18 - 2 2 V 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C201	18W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	V - 120°	3- 3000K 1069 lm system 2106 lm source 4- 4000K 1123 lm system 2106 lm source	TB- Black DG- Dark Grey



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com




CANOPUS 18



70C202 18 - 2 2 V 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C202	18W	2- ON/OFF 220-240V PF:0,9	2- 5 Years Warranty Other driver Incl.	V - 120°	3- 3000K 1069 lm system 2106 lm source 4- 4000K 1123 lm system 2106 lm source	DG- Dark Grey




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



CARINA 10

70C203 10 - 2 2 D 3 - TB
1 2 3 4 5 6 7



100



75




1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 916 lm system 1003 lm source 4- 4000K 962 lm system 1157 lm source	TB- Black TW- Technical White




CARINA 15

70C203 15 - 2 2 D 3 - TW
1 2 3 4 5 6 7



100



95



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	15W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1221 lm system 1380 lm source 4- 4000K 1287 lm system 1485 lm source	TB- Black TW- Technical White



Accessories not included

Pendant accessory

- HC70H403-TB
- HC70H403-TW




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



CARINA 20

70C203 20 - 2 2 D 3 - TB
1 2 3 4 5 6 7



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	20W	2- ON/OFF 220-240V PF>0,95	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1800 lm system 2059 lm source	TB- Black TW- Technical White



CARINA 30


70C203 30 - 2 2 D 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	30W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 2700 lm system 3150 lm source	TB- Black



Accessories not included

Pendant accessory CARINA 20





Orion



ORION H
7W - P261

Carina



CARINA 10
10W - P262



CARINA 15
15W - P263



CARINA 20
20W - P263

Lámparas de techo de composición de estilo moderno y sorprendentes diseños. Originales e ideales para iluminación en porches de chalets, unifamiliares, cenadores, terrazas de restaurantes, jardines y zonas de exterior. Resistentes al agua (IP65).


Composition ceiling lamps featuring a modern style and unique designs. Original and ideal for lighting on porches of villas, detached houses, gazebos, restaurant terraces, gardens and outdoor areas. Water resistant (IP65).



ORION H

70H402 07 - 2 2 X 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70H402	7W	2- ON/OFF 220-240V PF:0,5	2- 5 Years Warranty Other driver Incl.	X- 180°	3- 3000K 515 lm system 756 lm source	TB- Black




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com

CARINA 10

70C203 10 - 2 2 D 3 - TB + HC70H403-TB
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 916 lm system 1003 lm source 4- 4000K 962 lm system 1157 lm source	TB- Black TW- Technical White



CARINA 15

70C203 15 - 2 2 D 3 - TB + HC70H403-TB
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	15W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1221 lm system 1380 lm source 4- 4000K 1287 lm system 1485 lm source	TB- Black TW- Technical White



CARINA 20

70C203 20 - 2 2 D 3 - TB + HC70H403-TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	20W	2- ON/OFF 220-240V PF>0,95	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1800 lm system 2059 lm source	TB- Black TW- Technical White





Sirius



SIRIUS 09
9W - P266



SIRIUS 10
10W - P267



VERSALLES 07
7W - 269



TIVOLI 07
7W - P271

Tucan



TUCAN 09
9W - P273



TUCAN 18
2x9W - P273



HAMAL 13
13W - P275



CAPELLA 10
2x5W - P277

Lupus



LUPUS W10
12W - P279

Orion



ORION W07
7W - P281



*Apliques de pared para exterior con diseños modernos.
Perfectos para iluminación en porches, terrazas,
jardines así como cualquier estancia de exterior o
zonas de paso. Resistente al agua.*

*Outdoor wall lights with modern designs.
Perfect for lighting on porches, terraces,
gardens as well as any outdoor room or
walkways. Water resistant.*

OUTDOOR
WALL




SIRIUS 09



70W201 09 - 2 2 2 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W201	9W	2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	Up&Down 2- 0-100°	3- 3000K 495 lm system 830 lm source	DG- Dark Grey TB- Black

SIRIUS 10



70W201 10 - 2 2 Q 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W201	10W	2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	Q- 80°	3- 3000K 706 lm system 1003 lm source	DG- Dark Grey






TIVOLI 07



70W229 07 - 2 2 3 3 - TW
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W229	7W	2- ON/OFF 220-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Up&Down 3- 0-120°	3- 3000K 418 lm system 840 lm source 4- 4000K 440 lm system 840 lm source	TB- Black BR- Corten TW- Technical White





The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



TUCAN 09

70W203 09 - 2 2 N 3 - TG
1 2 3 4 5 6 7



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W203	9W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	N- 45°	3- 3000K 573 lm system 1089 lm source	TG- Textured Grey



TUCAN 18

70W203 18 - 2 2 N 3 - TG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W203	2x9W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Up&Down N- 2x45°	3- 3000K 1243 lm system 2178 lm source	TG- Textured Grey






70W204 13 - 2 2 S 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W204	13W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Up&Down S -100°	3- 3000K 677 lm system 1521 lm source	DG- Dark Grey

HAMAL 13






CAPELLA 10

70W205 10 - 2 2 R 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W205	10W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	Up&Down R - 90°	3- 3000K 676 lm system 977 lm source	DG- Dark Grey



30.000h L70B10 MAC Adam <3 Chip SUNPU With CONNECTION BLOCK


The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com

LUPUS W10



70W207 10 - 2 2 N 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W207	12W	2 - ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	N- 45°	3 - 3000K 547 lm system 975 lm source	TB- Black



RoHS CE IP 54 IK 06 LED SMD CRI >80 R60 50.000h L70B10 MAC Adam &3 Chip EVERLIGHT With CONNECTION BLOCK


The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com




ORION W07

70W208 07 - 2 2 X 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W208	7W	2 - ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	X- 180°	3 - 3000K 515 lm system 756 lm source	TB- Black



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



Alfa



ALPHA 04
4W - P285



ALPHA S04
4W - P285



ALPHA S08
8W - P285

Ankaa



ANKAA 03
3W - P287



ANKAA S03
3W - P287

Beta



BETA 04
4W - P288



BETA S04
4W - P288



BETA 10
10W - P289



BETA S10
10W - P289

Empotrables de pared para exterior realizado en aluminio inyectado gris oscuro. Perfectos para iluminar zonas de paso, pasillos o escaleras en terrazas y jardines. Mínimo consumo y estilo moderno. Protección contra el agua (IP65).


Wall recessed luminaires for outdoor use made of dark grey die-cast aluminium. Perfect for illuminating passageways, corridors or stairs in terraces and gardens. Minimum consumption and modern style. Protection against water (IP65).



70W501 04 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W501	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 170 lm system 584 lm source	DG- Dark Grey

ALPHA 04



115


37



70W502 04 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W502	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P- 70°	3- 3000K 223 lm system 584 lm source	DG- Dark Grey

ALPHA S04



115x115


37



70W503 08 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W503	8W	2- ON/OFF 220-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 328 lm system 1168 lm source	DG- Dark Grey

ALPHA S08



226x76

54




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



ANKAA T03

70W507 03 - 2 2 S 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W507	3W	2- ON/OFF 220-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	S - 100°	3- 3000K 90 lm system 450 lm source	DG- Dark Grey




ANKAA ST03

70W508 03 - 2 2 S 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W508	3W	2- ON/OFF 220-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	S - 100°	3- 3000K 100 lm system 450 lm source	DG- Dark Grey






BETA 04

70W240 04 - 2 2 0 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W240	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	0 - 55°	3- 3000K 134 lm system 572 lm source 4- 4000K 141 lm system 572 lm source	DG- Dark Grey



BETA 10

70W240 10 - 2 2 P 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W240	10W	2- ON/OFF 220-240V PF>0,55	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 629 lm system 1430 lm source	DG- Dark Grey



BETA S04

70W241 04 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W241	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P - 65°	3- 3000K 177 lm system 572 lm source	DG- Dark Grey



BETA S10

70W241 10 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W241	10W	2- ON/OFF 220-240V PF>0,55	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 626 lm system 1430 lm source	DG- Dark Grey



Acrux



ACRUX 04
4W - P293



ACRUX 12
12W - P293

Kaus



KAUS 04
4W - P295



KAUS 06
6W - P295



KAUS 10
10W - P295

Aplique con y sin piqueta para exterior. Diseños modernos que podemos colocar como apliques de pared o como piquetas. Ideales para terrazas, jardines, así como cualquier estancia o zona de paso en ambientes de exterior. Resistencia: IP65.


Outdoor wall light with and without spike. Modern designs that can be placed as wall lights or as spike lights. Ideal for terraces, gardens, as well as any outdoor area or walkway. Resistance: IP65.



ACRUX 04

70S103 04 - 2 2 | 3 - TB
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70S103	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	1 - 24°	3- 3000K 271 lm system 385 lm source	TB- Black



ACRUX 12

70S103 12 - 2 2 | 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70S103	12W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	1 - 24°	3- 3000K 752 lm system 1003 lm source	TB- Black




-
-
-
-
-
-
-
-
-
-
-
-
-
-



KAUS 04

70F203 04 - 2 2 D 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 225 lm system 369 lm source	DG- Dark Grey



KAUS 06

70F203 06 - 2 2 D 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	6W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 353 lm system 554 lm source	DG- Dark Grey



KAUS 10

70F203 10 - 2 2 G 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	10W	2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	G- 20°	3- 3000K 671 lm system 1003 lm source	DG- Dark Grey



Upregu



UPREGU 06
6W - P299



UPREGU S06
6W - P299



UPREGU 15
15W - P301



UPREGU 20
20W - P301



UPREGU 30
30W - P301

Empotrables para señalización exterior. Con alta resistencia a golpes y luz LED de mínimo consumo. Resistente al agua (IP67). Perfecto para iluminar jardines, terrazas o zonas de descanso junto a piscinas.


Recessed luminaires for outdoor signage. With high resistance to impact and LED light with minimum consumption. Waterproof (IP67). Perfect for illuminating gardens, terraces or rest areas next to swimming pools.



UPREGU 06

70U501 06 - 2 2 B 3 - SS
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	6W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	B- 25°	3- 3000K 229 lm system 427 lm source	SS- Stainless Steel



UPREGU S06

70U511 06 - 2 2 B 3 - SS
2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U511	6W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	B- 25°	3- 3000K 229 lm system 427 lm source	SS- Stainless Steel



Die Casting aluminium alloy, clear tempered glass, 316 stainless steel

Inground directional light, tiltable optica +-15°, with very narrow beam light distribution, 12° beam angle



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com




Die Casting aluminium alloy, clear tempered glass, 316 stainless steel

Inground directional light, tiltable optica +/-15°, with very narrow beam light distribution, 12° beam angle

UPREGU 15

70U501 15 - 2 2 A 3 - SS
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	15W	2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 912 lm system 1105 lm source	SS- Stainless Steel



UPREGU 20

70U501 20 - 2 2 A 3 - SS
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	20W	2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 1392 lm system 1750 lm source	SS- Stainless Steel



UPREGU 30

70U501 30 - 2 2 A 3 - SS
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	30W	2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 1779 lm system 2209 lm source	SS- Stainless Steel



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



Lupus

Fornax

Corvus



LUPUS B03
12W - P305



FORNAX B06
8W - P307



CORVUS B03
8W - P309

Indi



INDI B05
21W - P311



INDI B09
21W - P311



INDI B12
36W - P313

Balizas de exterior diseñadas con líneas estilizadas y modernas. Balizas de diferentes tamaños, compactas fabricada en aluminio y policarbonato. Adecuadas para iluminar zonas de paso en ambientes de exterior como jardines, zonas comunes, hoteles etc. Resistentes al agua.


Outdoor beacons designed with stylised and modern lines. Compact beacons of different sizes made of aluminium and polycarbonate. Suitable for lighting outdoor passage areas such as gardens, common areas, hotels etc. Water resistant.



LUPUS B03

70B211 10 - 2 2 Y 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B211	12W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Y - 330°	3- 3000K 528 lm system 975 lm source	TB- Black




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



FORNAX B06

70B201 08 - 2 2 0 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B201	8W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	0 - 55°	3- 3000K 425 lm system 1037 lm source	DG- Dark Grey



-
-
-
-
-
-
-
-
-
-
-
-
-


The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



CORVUS B03

70B203 08 - 2 2 U 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B203	8W	2- ON/OFF 220-240V PF:0,8	2- 5 Years Warranty Other driver Incl.	U - 155°	3- 3000K 214 lm system 1037 lm source	DG- Dark Grey





The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



INDI B05

70B212 25 - 2 2 Z 3 - DG
1 2 3 4 5 6 7



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B212	21W	2- ON/OFF 100-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Z - 360°	3- 3000K 1065 lm system 2041 lm source	DG- Dark Grey



INDI B09

70B213 25 - 2 2 Z 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B213	21W	2- ON/OFF 100-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Z - 360°	3- 3000K 1065 lm system 2041 lm source	TB- Black DG- Dark Grey



-
-
-
-
-
-
-
-
-
-
-
-
-
-


The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



INDI B12

70B214 36 - 2 2 Z 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B214	36W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Z- 360°	3- 3000K 2317 lm system 3499 lm source	DG- Dark Grey



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com

Orion



ORION M
7W - P317

Rubik



RUBIK
3W - P319

Lámpara portátil para exterior. Estilo moderno para colocar en el suelo, útil tanto para la iluminación como para decoración. Disponible en varios diseños, perfecta para iluminación ambiental en terrazas, jardines o mesas de exterior para dar un toque chill out al ambiente. Ideal para particulares, restaurantes, hoteles o pubs que quieran dar una iluminación diferente por las noches. IP 65.


Portable outdoor lamp. Modern style to place on the floor, useful for both lighting and decoration. Available in various designs, perfect for ambient lighting on terraces, gardens or outdoor tables to create a relaxing "chill-out" vibe. Ideal for private use, restaurants, hotels or pubs where a different type of night-time lighting is sought. IP 65.



ORION M

70M201 07 - 2 2 X 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70M201	7W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	X- 180°	3- 3000K 515 lm system 756 lm source	TB- Black





The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com



70MS01 03 - 2 2 - TW
1 2 3 4 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	7 - Color
70MS01	3- 3W-RGBW	2- ON/OFF	2- 5 Years Warranty Other driver Incl.	TW- Technical White

RUBIK



20x20



Cable for coupling to charger included



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com

