



THE ESSENCE OF
LIGHT, NATURE & LIFE



Turtle

11 Model
6 Power
P. 202

Spider

3 Model
3 Power
P. 230

TU

BU

LE



Turtle



SLATE 05
5W - P209



SLATE 10
10W - P209



SLATE RD07
7W - P213



SLATE RS07
7W - P217



SLATE RTS07
7W - P217



SLATE RS14
2x7W - P219



SLATE RTS14
2x7W - P219



SLATE S10
10W - P223



SLATE S20
20W - P223



TURTLE PC07
7W - P227



TURTLE P25
25W - P229

Retractable como el cuello de una Tortuga. Turtle adapta su longitud a las necesidades de cada cliente con un diseño sencillo y elegante.

Retractable like the neck of a turtle. Turtle adapts its length to the needs of each client with a simple and elegant design.

TURTLE
TUBULE





Optional colors for housings using TIR lens to avoid stray light



White

Antique


Black



Zoomtable optics
Include a small plastic central tool which is not affecting the quality and performance of the projected light. With a single luminaire the lighting can be adapted to the specific needs of each space, creating more welcoming, dynamic or functional atmospheres.
...
Las ópticas zoomtables incluyen un útil plástico central que no afecta a la calidad de la luz proyectada. Con una sola luminaria se puede adaptar la iluminación a las necesidades específicas de cada espacio, creando atmósferas más acogedoras, dinámicas o funcionales.



SLATE D




SLATE



SLATE 05

7IE501 05 - 2 1 M 3 - 90


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE501	5W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 353 lm system 599 lm source	01- Black 90- Tec. White





SLATE 10

7IE501 10 - 2 1 1 3 - 90

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE501	10W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	1 - Zoom 15°-38°	3 - 3000K 594-693 lm system 1197 lm source	01- Black 90- Tec. White






Aplication hotel, villa, restaurant, residencial area



7IE502 07 - 2 1 1 3 - 90
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE502	7W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,9 D- DALI / PUSH 200-240V PF>0,95 SMART CONTROL <i>[See page. 324]</i>	1- 5 Years Warranty JISO driver Incl. <i>(Option Driver 2 - 5)</i> 2- 5 Years Warranty Other driver Incl. <i>(Option Driver 3 - D)</i>	1 - Zoom 15°-38°	3 - 3000K 416-485 lm system 838lm source 4 - 4000K 427-497 lm system 888 lm source	01- Black 03- Antique 90- Tec. White



Accessories not included

Emergency kit *(page 322)*

2DCLEDK1

2DCLEDK2

RoHS

CE

IP 20

5 years Warranty

LED COB

CRI >90

RG1

UGR <17

35.000h L70B10

MAC Adam <3




SLATE RS

SLATE RTS




Accessories not included

Emergency kit (page 322-323)




7IE503 07 - 2 1 1 3 - 90
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE503	7W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,9 D- DALI / PUSH 200-240V PF>0,95 SMART CONTROL (See page. 324)	1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5) 2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)	1 - Zoom 15°-38°	3 - 3000K 416-485 lm system 838lm source 4 - 4000K 427-497 lm system 888 lm source	01- Black 90- Tec. White



7IE603 07 - 2 1 1 3 - 90
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE603	7W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,9 D- DALI / PUSH 200-240V PF>0,95 SMART CONTROL (See page. 324)	1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5) 2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)	1 - Zoom 15°-38°	3 - 3000K 416-485 lm system 838lm source 4 - 4000K 427-497 lm system 888 lm source	01- Black 90- Tec. White






Accessories not included

Emergency kit (page 322-323)

-  2DCLEDK5
-  2DCLEDK29

7IE504 14 - 2 1 1 3 - 90
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE504	2x7W	 2- ON/OFF 220-240V PF>0,9  3 - 1-10V 200-240V PF>0,95  5- Trailing Edge 220-240V PF>0,9  D- DALI / PUSH 200-240V PF>0,95 SMART CONTROL (See page. 324)	1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5) 2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)	1 - Zoom 15°-38°	3 - 3000K 832-970 lm system 1676 lm source 4 - 4000K 853-994 lm system 1777 lm source	 01- Black  90- Tec. White



SLATE RTS14

7IE604 14 - 2 1 1 3 - 90
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color	
7IE604	2x7W	 2- ON/OFF 220-240V PF>0,9  3 - 1-10V 200-240V PF>0,95  5- Trailing Edge 220-240V PF>0,9  D- DALI / PUSH 200-240V PF>0,95 SMART CONTROL (See page. 324)	1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5) 2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)	1 - Zoom 15°-38°	3 - 3000K 832-970 lm system 1676 lm source	4 - 4000K 853-994 lm system 1777 lm source	 01- Black  90- Tec. White










SLATE S10

7IE201 10 - 2 2 1 3 - 01

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE201	10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	1 - Zoom 15°-38°	3 - 3000K 594-693 lm system 1197 lm source 4 - 4000K 609-710 lm system 1269 lm source <i>[01 Black]</i>	01- Black 90- Tec. White




SLATE S20

7IE201 20 - 2 2 1 3 - 01

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE201	2x10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	1 - Zoom 15°-38°	3 - 3000K 1189-1385 lm system 2394 lm source 4 - 4000K 1219-1420 lm system 2538 lm source <i>[01 Black]</i>	01- Black 90- Tec. White



JISO
DESIGN
SPAIN

jisoiluminacion.com // 222


The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on www.jisoiluminacion.com

223 // jisoiluminacion.com

JISO
DESIGN
SPAIN

Turtle P






71E407 07 - 2 1 M 3 - 03

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71E407	7W	 2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 316 lm system 838 lm source	 01- Black  03- Antique  90- Tec. White

TURTLE PC07





7IE401 25 - 2 1 M 3 - 03

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE401	25W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 1364 lm system 2993 lm source	03- Antique

TURTLE P25

ALUM PC

